


Kaartje geldigheidsduur vaccins & advies HGR gele koorts
Dépliante validité des vaccinations & conseil CSS fièvre jaune
Leaflet validity vaccines & advice SHC yellow fever vaccination

VACCINE	VACCINATION	VALIDITY	VACCINE	VALIDITY
Tedivax®	Tetanus-diphtheria	10 yrs	Stamaril® Yellow fever	Le Conseil Supérieur de la Santé Belge recommande un seul rappel à l'occasion d'un prochain voyage dans une région endémique.* De Belgische Hoge Gezondheidsraad adviseert een eenmalig boostervaccinatie bij een volgende reis naar een endemische regio.* The Belgian Superior Health Council recommends a single reinforcing vaccination at the occasion of a future travel to an endemic region.* 
Boostrix® / Triaxis®	Tetanus-diphtheria-pertussis	10 yrs		
Revaxis®	Tetanus-diphtheria-polio	10 yrs Te & di lifelong polio*		
Imovax-polio®	Polio (basic+booster during adulthood)	lifelong*		
Engerix B® 3 x	Hepatitis B 0-1-4/6 months	.		
Havrix®/Vaqta®/ Avaxim® 2 x	Hepatitis A 0-6/12 months or later	lifelong		
Twinrix® 3 x	Hepatitis A+B 0-1-4/6 months or later	.		
Typhim®	Typhoid fever	3 yrs		
FSME® 3x	Frühsommer meningo-encephalitis (0-1/3-9/12 months) or (0-d14-m9/12)	3 yrs 2nd booster after 5/10 yrs		
Ixiaro® 3 x	Japanese encephalitis (0-d7/28-1y)	10 yrs		
Menveo®/ Nimenrix®	Meningitis caused by meningococci ACWY	5 yrs		
Priorix®/ MMR® 2X	Measles/Mumps/Rubella	lifelong		
Rabies® 2 x	Rabies (0-7 days)	in case of bite: 2 boosters		
* Exceptions exist			* Exceptions exist	
° Hep B. lifelong if antibody production demonstrated				